



## Halal or Haram-New Challenges for Religious Scholars Muslim World and Food Supply Chain Stake Holders

Faiza Abdur Rab\*

*\*Assistant Professor, Department of Food Science and Technology, University of Karachi, Karachi 75270, Pakistan*

### Abstract

The three religions e.g. Islam Christianity and Judaism have the same origin and hence their guidelines for practices in daily routine have striking similarities. They comprise the major population of the globe who are believers of existence of God and hence abide their diet ingredient intake as per their religion. According to Islamic Ideology, Halal states for the Food that is permissible to eat whereas Jews called it Kosher, that is more stick form of categorizing the permissible food commodities. Muslims eat many kosher food items. This paper is written to highlight the different challenges being faced by different stakeholders comprising the food supply chain that differs among different populations based on different factors including individual s eating habit culture and faith.

**Keywords:** Food Supply Chain, Biotechnology, Halal, Haram. Kosher, Big Data. Regulatory Authorities, Food Safety, GMO, Epigenetics, Apoptosis, Mutation, Evolution

### Corresponding author: Faiza Abdur Rab

Assistant Professor, Department of Food Science and Technology, University of Karachi, Karachi 75270, Pakistan. Tel: 923022003601, Email: [faizaabdurrab@uok.edu.pk](mailto:faizaabdurrab@uok.edu.pk)

**Citation:** Faiza Abdur Rab (2020), Halal or Haram-New Challenges for Religious Scholars Muslim World and Food Supply Chain Stake Holders. Int J Nutr Sci & Food Tech. 6:3,

**Copyright:** ©2020 Faiza Abdur Rab. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Received:** March 08, 2020

**Accepted:** March 16, 2020

**Published:** XXXX, 2020

### Halal or Haram Food Commodities-Safe Food

Consumption of beef and mutton is halal only if the animal is slaughtered while adopting the method of kosher e.g. the vein in the neck of the animal is cut with a sharp knife and let the blood comes out till the animal dies. The hidden scientific logic is, since the blood is high in nutrition it supports the growth of micro-organisms both diseases causing one and spoilage organisms. besides initiation of many harmful biochemical reactions if blood is left in the body of dead animal. Recent scientific findings prove that blood of cattle fed on feed derived from animal components can carry a factor/ ingredient called prions can cause fatal diseases in Human beings. Unfortunately in many developing countries following Legislation based on Islamic Ideology believes in following Islam without revealing the underlying logic on most of the issues including Food as well. For instance adding animal blood portion/waste even without needed processing in animal feed as reported by different circulations is in practice in different countries whereas this practice increases the risk of spreading disease and spoilage by micro-organisms in addition of risk of causing fatal diseases in human beings but we consider this practice halal. Bovine spongiform encephalopathy (BSE) that is also known as mad cow disease can be transmitted to man if the waste from animal specially those having vertebrate is used in animal feed to improve its protein content e.g. meat, milk eggs and to increase growth of animal .It is for the same reason that use of animal waste in feed consumed by all type of animals are generally banned in developed countries. Similarly the medicines and hormone stated prohibitory and haram by science and research scholars are freely used in animals to increase the meat mass and milk production that through animal derived food items reach to human bodies and cause adverse effects including physiological and psychological disorders but concerned regulatory authorities are silent so are science and religious scholars<sup>[1,2,3,4,5,6]</sup>. Wine is haram according to Islamic Ideology because of presence of alcohol that brings the

consumer in mental state where they lose control on self but when the same wine becomes sour due to reaction with oxygen by the activity of micro-organisms or due to mixing of air that changes alcohol into acetic acid, it turns into vinegar that becomes halal as it loses its property to make an individual to lose self control on consumption. There are many preservatives from animal sources that are obtained from haram animals addition of those ingredients in food items particularly commercially prepared food items make them haram for consumption. Many Muslims gave up eating fermented cheese merely because the stomach extract used in preparation of cheese by natural process is usually collected from cattle who are slaughtered in the way not following the standard procedure permissible in Islam. For this reason, different industries on losing massive customers started using micro-organisms or papain/ pineapples extract to mediate the said process during naturally prepared cheese. Interestingly those individuals who raise question to certify a product as halal or haram and safe as well are among those who have been living in developed countries abiding non Islamic legislation whereas Muslim world seems to eat everything whether safe or non safe like sugar but cited as halal in Islamic Scripture<sup>[7]</sup>. To improve the nutrient content, organoleptic properties, or shelf lives, the farmers by cross-transferring the pollen grains (plant reproducing units) between different varieties of plants over the period of time successfully developed new varieties that is a natural process but it takes longer time to happen at its own in nature e.g. often more than a century to evolve new varieties those can be different than those developed by man involved<sup>[5,2]</sup>. For instance kinnow is crossover of two different varieties (cultivars) of citrus fruits. Similarly mule is offspring of male donkey and female horse. Consumption of mule meat is haram same as like donkey. To give fruits and vegetables longer shelf life and to keep them fresh plants are watered having harmful chemicals, chemicals are rubbed on their peels or injected in them. A simple way to screen the produce those do not spoil on keeping in fridge but having harmful chemical ingredients is to wrap them in kitchen paper and keep them in fridge for one day. In case on taking out a fruit or vegetable that seemed of good quality with having same colour, firmness all over and good taste as earlier, if certain portions of the produce changes its colour, becomes soft where the rest all is firm and stiff with or without having deteriorated taste, do not consume such produce and inform the concerned authorities. Those that spoil on keeping in fridge are recommended to be kept wrapped in Kitchen towel paper at some dry but cool place. In case if over a period of time less than two days if the same deteriorating characteristics are developed then send the said samples to concerned authorities for safety evaluation<sup>[4,5,6]</sup>.

### Biotechnological Knowledge and limitation in its Progression

With the emerge of Biotechnology, there are three types of biotechnologically derived products available in market. They include the products that we eat them as food medicines vaccine or have them injected in body. Other are the products that we use as different items but do not eat them such as clothes, shampoo, cosmetics and third are those that somehow come in our environment and we are not aware of it but its interaction with us or living entities around us can raise health thread or can induce the initiation of different allergies, cancer etc<sup>[2]</sup>. The living cell, also building unit of plants and animals, contain fragment build up of a unit block called Deoxyribonucleic Acid (DNA), each block is attached with one of four varieties of chemical unit called nitrogen bases whereas certain portion of DNA carrying a particular sequences of these nitrogen bases carry information about the characteristics (genes) that the living cell can have whereas cell functions to present these characteristics within the cell are governed

by chains of amino acid (Polypeptide/Protein) a complex chemical that is only produced within living cells to regulate their functions as well as are the building units of these cells too. Not only human beings, animals, plants but these micro-organisms including virus are living cells whereas plant animals and human being are made of huge number of cells working together in co-ordination<sup>[1]</sup>. Biotechnology refers to different techniques through which DNA/Proteins or their manufacturing units within the cells are transferred from one type of cells to other cells to attain different characteristics. DNA/Proteins e.g long shelf live improved organoleptic properties, protection from pest and plant diseases that in plants can transfer from *halal* animal, haram animal or micro-organisms or blend of all to recipients cells. Same stays true for animals as well as for achieving objectives like producing more flesh, better milking, improved strength. Such animal or plants are called Genetically Modified Crop (GM) Crops or for Animal it is referred as Genetically Modified Animals. Same process is done with micro-organisms to improve the yield of antibiotic, other medicines, food products vaccines and other products having microbial origin. The use of Biotechnology is a mean to enjoy Blessings of Nature at full Bloom provided the safety measures are met while producing applying or using or having a trial of biotechnologically derived product or item in field or on Human beings animals and plants<sup>[1,2,5,6,7,8,9,10]</sup>. With the advancement of understanding in the area of molecular biology, the whole concept in this area has changed. Initially the deletion of gene is associated with generally loss of an activity whereas in certain cases the findings show that certain functions of the cells/body are altered e.g. heightened on having deleted a gene, the findings become more significant when some organisms within a given population having deleted the essential gene exhibited improved survival under the stress condition under which majority of population failed to sustain the viability<sup>[1,8,11,12,13]</sup>. This was an alarming finding for most of the scientists having the dream to control life and living through technology<sup>[2,3,6]</sup> that seems to be shattered. Since the process of research leading to generation of knowledge its dispersion has serious flaws that has created gaps to comprehend the overall concept in almost every domain of knowledge, the consequences are non reproducibility of data that on one hand misleads the future course of investigation in research whereas on other hand overshadows the real challenges of future mainly because of prevailing conflicts of interest and power and authority driven politics to sustain with the high pace of generation of data on previously accepted concept, hence avoiding to recognize the newly emerging concepts based on alternative but experientially proven biological phenomena that can challenge the authenticity of past understanding in the given area, such novel findings e.g. there exists new supra locus regulation mechanisms of genetic networks could not yet be reported in globally most respected scientific journals very likely because of serving personal professionally and commercial interest of a few individuals running the show in different professional circles as well as to avoid shift in course of research in the main and the related domains, that can spare huge number of researchers, technicians, equipments etc. We are in a state where we think we know but in reality we do not know what we know is NOT THE SAME as it exists. It is extremely alarming situation that we are dreaming to resolve our problem with having knowledge of no credibility mainly because we are reluctant to grasp any certain revolution in the understanding of Molecular Biology on which relies the whole domain of Biotechnology. Science is to serve mankind but our greed has made mankind to be used for science to serve the purpose of few individuals, mainly those controlling the whole process of research, publication and grant approvals etc

<sup>[14, 15, 16]</sup>. Coming back to the core issue, that through biotechnological

techniques, researchers cannot control the variations within the ongoing events within the cells comprising the population/s independent of recombination pathways<sup>[17]</sup> and this is one of the main limitation of all biotechnologically based activities hence can endorsed within biotechnology does not lie the solution of every problem and at the same time it also indicate that biotechnologically supported activity can not necessarily produce the same results in different environments<sup>[1,2,8,11,12,13,18,19,20,21,22]</sup> our unpublished work indicates that the process of apoptosis seems to be regulated at molecular level through oxidant gradient flux sensing the environment operating through genetic network whereas certain elements acts as modulators<sup>[1,8,13,23,24,25,26,27,28,29,30,31,32,33]</sup> that in other words mean we are very close to find cure for most of non-infectious illnesses e.g. neural disintegrative diseases Alzheimer, cancer, allergies particularly in situ organ repairing would become part of daily life that would spare us from the tedious process of transplantation and risks associated with this discipline<sup>[34]</sup>. The idea to address the consequences of global warming through intervention of biotechnology is itself indicates the likelihood of limited understanding in the given and related domains of Science<sup>[6]</sup>. More viable options to meet the challenge of global warming would be discussed in our upcoming papers.

### Consequences of Use of heavily invested High Technology based sophisticated Equipments

Heavy investments have been made to use highly sophisticated facilities to study and reveal the ongoing events within the cell without realizing the fact that every device has associated with it an error factor whereas the findings are for a given set of conditions at a stance for a biological system that can never accommodate with it naturally occurring parallel events, co-originated and governed at different levels to opt between apoptosis, evolution or mutation otherwise mutually leading to some other phase of life physiology as also evident high tech work in this area has been so far misled<sup>[8,12,35,36,37]</sup>. In simple words, highly sophisticated facilities generally assay a particular factor or group of factors as dependable variable/s against independent variables and explore their co relation under different imaginary scenarios using statistical functions on big data collected usually gathered by using sophisticated instruments on test samples obtained by different large populations. Since a single or group of factors assayed are not necessarily be conclusive representative of any biological event or indicative of life itself/themselves, high tech heavily instruments driven data carries huge error and usually studies based on such data end up in drawing misleading conclusions. Secondly the prevailing conditions and past history of populations under study for generating big data are usually not comparable, for this reason use of isogenic has evolved for such studies but it does not make studies error-free<sup>[38]</sup>

### Conclusion

Most of the countries including Pakistan does not need to use biotechnological genetic engineered products particularly recombinant products either imported or developed locally as consumable food items including agricultural products as conventional practices can produce ample quantity of crops/ animals based food if the latest agriculture science and technology is applied with having world class understanding in this area. Another reason that is technically important as well is a biotechnological product that is successful in one type of environment does not necessarily produce the same results elsewhere<sup>[6]</sup>. The third and most important concern for Believers including Muslims to know what biotechnological products are halal that depends on the donor and recipient sources of DNA/Protein whereas respective religious scholars with public consultation are best to decide<sup>[2]</sup>. It is only possible when the manufacturing and marketing organizations mention the

required information on the label of product. Those items that does not carry any biotechnologically processed ingredients and they are produced naturally without the use of synthetic fertilizers are known as organic products but are usually more expensive. What matters more health or wealth? can be an individual s decision but Global Safety and Well being of existing and upcoming Generations of all Creatures is all s Responsibility. Wake up before all are dead mad or end up in miseries<sup>[39]</sup>.

### References

- Rab FA. (2014) "Environmentally Modulated Evolution through Genetic Regulation". ISB News Report .June-July
- Rab FA. (2016): "Biotechnology its Potential and Challenges". EC Agriculture 3.4 705-707
- Rab FA. (2018): "Drug-Disease Relationship and role of the Food in Healthy Living Review Paper". EC Nutrition 13.8: 543-548
- Rab FA. (2017): "Eat Fresh Look Young". EC Nutrition RCO.01 3-5
- Rab FA. (2019): "Comparison between Safety Risks Associated with Domestically Processed Food and Commercially Manufactured Processed Food across the Food Supply Chain". EC Nutrition 14.5: 414-416.
- Rab, FA(2019) Is Hunger More Dangerous than having Malnutrition or Consuming Unsafe Diet?". EC Nutrition 14.12 01-05
- Rab FA 2018 Is sugar a necessary or an accessory EC Nutrition 13.4 : 236-237
- Rab.F.A (2007). "Phenotypic variation in resistance between the individual cells in isogenic populations of *Saccharomyces cerevisiae*" (M.Phil Thesis) supported by National Institutes Health NIH US department of Health and Human Services University of Nottingham United Kingdom University of Karachi Pakistan and submitted to University of Nottingham United Kingdom (UK)
- Rab FA. (2018): "Genome-Nutrifortified Diets-Their Disease Protection and Remedy Potential J Prob Health 6 204. doi10.4172/2329-8901.1000204
- Rab FA. (2018) "Drug-Disease Relationship and role of the Food in Healthy Living Review Paper". EC Nutrition 13.8: 543-548.
- Sumner E R and Avery S V. (2002) "Phenotypic heterogeneity: differential stress resistance among individual cells of yeast *Saccharomyces cerevisiae*". Microbiology 148.2 345-351.
- Sumner E R., et al. (2003) "Cell cycle and age dependent activation of Sod1p drives the formation of stress resistant cell subpopulations within clonal yeast cultures". Mol Microbiol 50.3: 857-870.
- Bishop AL., et al. (2007) "Phenotypic heterogeneity can enhance rare-cell survival in 'stress-sensitive' yeast populations". Mol Microbiol 63.2: 507-520.
- Rab FA. (2015). "A Global Perspective on Research" August September Academe
- Rab FA. (2017): "Who should come in Research?" EC Nutrition 6.3: 102-104.
- Rab,F.A (2020) Hurdles in Progression of Knowledge and its Global Impact by Dr Faiza Abdur Rab. manuscript submitted elsewhere
- Shampay J and Blackburn EH. (1988): "Generation of telomere-length heterogeneity in *Saccharomyces cerevisiae*". Proceedings of the National Academy of Sciences of the United States of America 85.2: 534-538.
- Pinto C., et al. (2015) "Wine fermentation microbiome: a landscape from different Portuguese wine appellations". Frontiers in Microbiology 6: 905.
- Williams KM., et al. (2015) "Evolution of ecological dominance of yeast species in high-sugar environments". Evolution 69.8: 2079- 2093.
- Schuller D., et al. (2012) "Genetic diversity and population structure of *Saccharomyces cerevisiae* strains isolated from different grape

varieties and winemaking regions". PLoS One 7.2 e32507.

21. Le Jeune C., et al. (2006): "Evolution of the population of *Saccharomyces cerevisiae* from grape to wine in a spontaneous fermentation". Food Microbiology 23.8 :709-716.

22. Nikolaou E., et al. (2007) "Heterogeneity in genetic and phenotypic characteristics of *Saccharomyces cerevisiae* strains isolated from red and white wine fermentations". Food Control 18 :1458-1465.

23. Nargund AM., et al. (2008) "Cadmium induces a heterogeneous and caspase-dependent apoptotic response in *Saccharomyces cerevisiae*". Apoptosis 13.6 :811-821

24. Bergman A and Siegal M L. (2003): "Evolutionary capacitance as a general feature of complex gene networks". Nature 424: 549-552.

25. Niven JE. (2004): "Channelling Evolution". PLoS Biology 2.1: e19.

26) Smith MC., et al. (2007) "Glutathione and Gts1p drive beneficial variability in the cadmium resistances of individual yeast cells". Molecular Microbiology 66.3: 699-712.

27. Adamis PD., et al. (2007) "Vacuolar compartmentation of the cadmium-glutathione complex protects *Saccharomyces cerevisiae* from mutagenesis". Toxicology Letters 173. :11-17.

28. Nelson RM., et al. (2013) "Variance Heterogeneity in *Saccharomyces cerevisiae* Expression Data: Trans-Regulation and Epistasis". PLoS ONE 8.11: e79507.

29. Payne T., et al. (2008) "Transcript-specific translational regulation in the unfolded protein response of *Saccharomyces cerevisiae*". FEBS

Letters 582.4 :503-509.

30. Le QG., et al. (2016) "Cadmium impairs protein folding in the endoplasmic reticulum and induces the unfolded protein response". FEMS Yeast Research 16.5 :fow049.

31. Gorter FA., et al. (2016) "Dynamics of Adaptation in Experimental Yeast Populations Exposed to Gradual and Abrupt Change in Heavy Metal Concentration". American Naturalist 187.1: 110-119.

32. Pluskal T., et al. (2016) "Diverse fission yeast genes required for responding to oxidative and metal stress: Comparative analysis of glutathione-related and other defense gene deletions". Genes to Cells 21.6: 530-542.

33. Deregwoska A., et al. (2015) "Genome-wide array-CGH analysis reveals YRF1 gene copy number variation that modulates genetic stability in distillery yeasts". Oncotarget 6.31: 30650-30663.

34. Halliwell SC., et al. (2012) "Heterogeneous expression of the virulence-related adhesin Epa1 between individual cells and strains of the pathogen *Candida glabrata*". Eukaryotic Cell 11.2 :141-150.

35. Delvigne F., et al. (2015) "Dynamic single-cell analysis of *Saccharomyces cerevisiae* under process perturbation: comparison of different methods for monitoring the intensity of population heterogeneity". Journal of Chemical Technology and Biotechnology 90.2: 314-323.

36. Howlett NG and Avery SV. (1999): "Flow cytometric investigation of heterogeneous copper-sensitivity in asynchronously grown *Saccharomyces cerevisiae*". FEMS Microbiol Lett 176.2: 379-386.

37. Rab FA (2020) Hurdles in Progression of Knowledge and its Global